

C1 + Sunlight Readalbe

High Brightness IOT Display



43" | 55" | 65"
45 | 55 | 65
45 | 55 | 65



Brightness 500 cd/m²



High Durability



Dolby Audio



Android 9.0



Low blue Light



Dual-band Wifi



Bluetooth 5.0



LG IPS Panel




4K HDR High Resolution



Wide Color Gamut
Deliver Vivid and
Native Color

97%
Coverage


Wider Vision




Wireless Mirroring

Multimedia Platform
Easy Application

AeroTV3




Ultra HD / High Fidelity
Pixels / HDR 10



LG IPS screen
Technology

True-to-life colors, deep black levels
and rich colors for amazing contrast
and color detail act virtually angle.

2.4G & 5G
Dual-band Wifi



iCast Digital Signage System

- Scheduled Playlist
- Group Management
- Clean & clear user interface
- Mult playlist fuction: Pictures, YouTube, HTML




Auto Detecting Signal
Auto Detecting Ambient Light



Experience multidimensional
surround sound than ever
before.

border thickness unit:mm



Specification

Model No.		GT43C15	GT55C15	GT65C15
LED Panel	Screensize	43	55	65
	Resolution	3840 x 2160		
	Brightness	500 cd/m ²		
	Contrast Ratio	4000:1		
	Viewing Angle	178°/178°		
image Processing Technology	HDR 10	○	○	○
	H.265	○	○	○
	HEVC	○	○	○
	Other	CEC/ARC		
Connectivity Input	AV	1		
	HDMI 2.1	3		
	UBS 2.0	2		
	LAN	1		
Connectivity Output	S/PDIF	1		
	Line Out	1		
	Screen Control	RS232(In/Out) x 1		
Size and Weight	Dimensions(W x H x Dmm)	962 x 567 x 73	1323 x 722 x 81	1461 x 847 x 81
	VESA Mounting(W x Hmm)	200 x 100	200 x 200	200 x 200
	Net Weight	8.2 kg	14.2 kg	17.3 kg
Audio	Speakers	10W x 2		
Android	System Version	Android 9.0		
	CPU	A53		
	GPU	G52MC1		
	RAM	1.5 GB		
	ROM	16 GB		
	Wi-Fi	802.11 ac		
	Bluetooth	5.0		
Power	Input Voltage	AC100-240V~50/60 Hz		
	Standby	≤0.5 Watts		