

AeroTouch

4K Eye protection



Interactive Touch Display

V5 series

55"



4 Split-screen



Infrared Touch



AG Temper Glass

Mutual view
Sharing

Dual-band Wi-Fi 6



16W Speakers


Dual-screen
higher productivityCross Platform
Annotation

Android 11.0

V5

Interactive Multi-Touch Monitor with built-in Android system creates an intuitive interface to operate without PC required and features wireless collaboration with cross-platform devices in the classroom. It's indeed an essential part for teaching and learning environment.

01



Wireless Mirroring

- **4 Splt-Screen**
Mirroring 9 devices during session
- **Multi-Screen**
Steam & View at the same time
- **Both-Way Touch**
Touch functionality works both way

AVACAST:Support Google Chrome\ Windows \ Android \ iOS\ Mac OS system°



02




Cross-Platform Annotation Tool

Digital teaching, touch as you like



03

Narrow Bezel Design



Build-in Intel Standard OPS Slot
Max. 4K/60Hz resolution

- **Screen Control**
- **Customized Input Rename**
- **Over the Air (OTA) Update**
- **Bluetooth 5.0**
- **LAN In & Out**
Support WOL(Wake-on-LAN)
- **terminal control**
- **Cross-Platform Sharing**

VESA Mounting

400×400mm: 55"

Infrared-Touch Eye Protection 4K UHD Resolution





Surround Sound speakers

- **Build-in Android System**
Andriod 11.0
- **Dual-Band Wi-Fi**
- **Enhanced Eye Protection**
- **Viewing Ange: 178°**

04



Ai Smart Writing Whiteboard





Dual-screen higher productivity

You can surf the Internet record

Ai intelligence correct track




- Select object
- Brush size and color
- Eraser size
- Clear all screen
- Ruler Vertical Level Tool
- 2D/3D geometry
- Custom Form Fields
- Tree
- Sticky note
- Object scaling
- Text list
- Previous step next step



- Table of contents
- Quit
- Share
- File overview list

- Dossier Add Pages
- Previous Next




Two fingers for assistive ball Assistive touch

Five fingers for screen lock

Model No.	GM55E40AZD
LED Panel	
Screensize(Diag)	55"
Resolution	3840 x 2160
Aspect Ratio	16:9
Brightness	450cd/ m ²
Contrast Ratio	5000:1
Viewing Angle	178°/178°
Response Time	8ms
Backlight Unit	Direct LED
Backlight Life	50,000 hours
Touch	
Touch Technology	Infrared Touch 40pt
Touch Resolution	32767 x 32767
High Precision Writing	≥φ1mm
OS Compatibility	Win 11/10/8/7:40pt, Win XP:1pt, Mac:1pt, Android:20pt, Linux:1pt, Chrome:1pt
Tempered Glass	ANTI-TEMPERED GLASS 4 MM / 9H
Connectivity Input	
Video(Analog)	VGA x 1
Video(Digital)	HDMI 2.0 x 2, DP 1.2 x 1
Audio	Audio in (3.5mm) x1
Media(Android)	USB3.0 A-type x4, USB-C x1, Micro SD Card slot x1, USB2.0 A-type x1
Media	USB 3.0 A-type x 4
LAN	RJ 45 x 1
Screen Control	RS232C (In/Out) x 1
OPS Slot	Support Max 4K/60 fps
Connectivity Output	
Video(Digital)	HDMI 2.0 x 1
Audio	SPDIF (Optical) x 1, Earphone x 1
Touch	USB 2.0 B-type x 1
LAN	RJ 45 x 1
Wireless Reception	
Wi-Fi	Wi-Fi 6
Bluetooth	5.0
Audio	
Speakers	16W x 2
Power	
Input Voltage	AC100-240 V 50/60 Hz
Typical	≤ 220W
Standby	≤ 0.5W
Environmental	
Operation Temperature	0-45 °C
Operation Humidity	10-90% RH
Size and Weight	
Dimensions	1257.6 x 766.4 x 80.3 mm
VESA Mounting	400 x 400 mm
Net Weight	25 kgs
Android	
System Version	Android 11.0
RAM	8 GB
ROM	128GB

Multi-IO Port Connection



V5 Accessory

- Power Cord (US) 3m x 1
- HDMI Cable 3m x 1
- Touch USB Cable 3m x 1
- Remote Control x 1
- Stylus x 2
- Quick Start Guidex 1
- Screws(M8) x 4
- Wall Mount Kit x 1

